

lat. and greenstriped rockfish) and 1.44 for category 3 stocks (all others) with a P^* of 0.45. The resulting ABC of 1,920 mt is the summed contribution of the ABCs for the component species. The ACL of 968 mt is the same as the 2012 ACL. 65.24 mt is deducted from the ACL for the Tribal fishery (30 mt), the incidental open access fishery (26 mt), EFP catch (3 mt) and research catch (6.24 mt) resulting in a fishery HG of 903 mt.

v/ Minor slope rockfish north. The OFL of 1,518 mt is the sum of the OFL contributions for the component species within the complex. The ABCs for the northern minor slope rockfish complex is based on a sigma value of 0.36 for category 1 stocks (splitnose rockfish) and 1.44 for category 3 stocks (all others) with a P^* of 0.45. The resulting ABC of 1,381 mt is the summed contribution of the ABCs for the component species. The ACL of 1,160 is the same as the 2012 ACL. 62 mt is deducted from the ACL for the Tribal fishery (36 mt), the incidental open access fishery (19 mt), EFP catch (1 mt) and research catch (6 mt), resulting in a fishery HG of 1,098 mt.

w/ Minor nearshore rockfish south. The OFL of 1,164 mt is the sum of the OFL contributions for the component species within the complex. The ABC for the southern minor nearshore rockfish complex is based on a sigma value of 0.36 for category 1 stocks (gopher rockfish north of 34°27' N. lat.), 0.72 for category 2 stocks (blue rockfish north of 34°27' N. lat.) and 1.44 for category 3 stocks (all others) with a P^* of 0.45. The resulting minor nearshore rockfish south ABC, which is the summed contribution of the ABCs for the component species within the complex, is 1,005 mt. The ACL is 990 mt; the same as the 2012 ACL. There are no deductions from the ACL, resulting in a fishery HG of 990 mt. Blue rockfish south of 42° N. latitude has a species-specific HG of 236 mt.