lat. and greenstriped rockfish) and 1.44 for category 3 stocks (all others) with a P* of 0.45. The resulting ABC of 1,932 mt is the summed contribution of the ABCs for the component species. The ACL of 968 mt is the same as the 2012 ACL. 65.24 mt is deducted from the ACL for the Tribal fishery (30 mt), the incidental open access fishery (26 mt), EFP catch (3 mt) and research catch (6.24 mt) resulting in a fishery HG of 902.8 mt.

v/ Minor slope rockfish north. The OFL of 1,553 mt is the sum of the OFL contributions for the component species within the complex. The ABCs for the northern minor slope rockfish complex is based on a sigma value of 0.36 for category 1 stocks (splitnose rockfish) and 1.44 for category 3 stocks (all others) with a P* of 0.45. The resulting ABC of 1,414 mt is the summed contribution of the ABCs for the component species. The ACL of 1,160 mt is the same as the 2012 ACL. 62 mt is deducted from the ACL for the Tribal fishery (36 mt), the incidental open access fishery (19 mt), EFP catch (1 mt) and research catch (6 mt), resulting in a fishery HG of 1,098 mt.

w/ Minor nearshore rockfish south. The OFL of 1,160 mt is the sum of the OFL contributions for the component species within the complex. The ABC for the southern minor nearshore rockfish complex is based on a sigma value of 0.36 for category 1 stocks (gopher rockfish north of 34°27' N. lat.), 0.72 for category 2 stocks (blue rockfish north of 34°27' N. lat.) and 1.44 for category 3 stocks (all others) with a P* of 0.45. The resulting minor nearshore rockfish south ABC, which is the summed contribution of the ABCs for the component species within the complex, is 1,001 mt. The ACL is the same as the 2012 ACL. There are no deductions from the ACL, resulting in a fishery HG of 990 mt. Blue rockfish south of 42° N. latitude has a species-specific HG of 236 mt.