for the Tribal fishery (60 mt), the incidental open access fishery (89.2 mt), EFP catch (18 mt) and research catch (7.9 mt), resulting in a fishery HG of 1,411 mt.

mm/ Yelloweye rockfish. A stock assessment update was prepared in 2011. The stock was estimated to be at 21.3 percent of its unfished biomass in 2011. The 51 mt coastwide OFL was derived from the base model in the new stock assessment with an F_{MSY} proxy of $F_{50\%}$. The ABC of 43 mt is a 17 percent reduction from the OFL (σ=0.72/P*=0.40) as it's a category 2 stock. The 18 mt ACL is based on a rebuilding plan with a target year to rebuild of 2074 and an SPR harvest rate of 76.0 percent. 5.82 mt is deducted from the ACL for the Tribal fishery (2.3 mt), the incidental open access fishery (0.2 mt), EFP catch (0.02 mt) and research catch (3.3 mt) resulting in a fishery HG of 12.2 mt. Recreational HGs are being established: Washington, 2.9; Oregon, 2.6 mt; and California, 3.4 mt.

nn/ Yellowtail rockfish. A yellowtail rockfish stock assessment update was last prepared in 2005 for the area north of 40°10' N. latitude to the U.S-Canadian border. Yellowtail rockfish was estimated to be at 55 percent of its unfished biomass in 2005. The OFL of 4,584 mt is based on the 2005 stock assessment with the F_{MSY} proxy of $F_{50\%}$. The ABC of 4,382 mt is a 4 percent reduction from the OFL (σ=0.36/P*=0.45) as it's a category 1 stock. The ACL was set equal to the ABC, because the stock is above $B_{40\%}$. 701.49 mt is deducted from the ACL for the Tribal fishery (677 mt), the incidental open access fishery (3 mt), EFP catch (10 mt) and research catch (11.49 mt), resulting in a fishery HG of 3,681mt.