

e/ Big skate. 57.31 mt is deducted from the ACL to accommodate the Tribal fishery (15 mt), EFP fishing (0.1 mt), and research catch (5.49 mt), and incidental open access (36.72 mt), resulting in a fishery HG of 1,331.7 mt.

f/ Black rockfish (California). 2.26 mt is deducted from the ACL to accommodate EFP fishing (1.0 mt), research (0.08 mt), and incidental open access (1.18 mt), resulting in a fishery HG of 338.7 mt.

g/ Black rockfish (Washington). 18.1 mt is deducted from the ACL to accommodate the Tribal fishery (18 mt) and research catch (0.1 mt), resulting in a fishery HG of 272.9 mt.

h/ Bocaccio south of 40°10' N lat. The stock is managed with stock-specific harvest specifications south of 40°10' N. lat. and within the Minor Shelf Rockfish complex north of 40°10' N. lat. 47.82 mt is deducted from the ACL to accommodate EFP catch (40 mt), research (5.6 mt), and incidental open access (2.22 mt), resulting in a fishery HG of 1,676.2 mt. The 2022 combined allocation to the nearshore and non-nearshore fishery is 315.7 mt. The California recreational fishery south of 40°10' N lat has an HG of 706.1 mt.

i/ Cabezon (California). 1.28 mt is deducted from the ACL to accommodate EFP (1 mt), research (0.02 mt), and incidental open access fishery (0.26 mt), resulting in a fishery HG of 193.7 mt.

j/ California scorpionfish south of 34°27' N lat. 3.89 mt is deducted from the ACL to accommodate research (0.18 mt) and the incidental open access fishery (3.71 mt), resulting in a fishery HG of 271.1 mt.

k/ Canary rockfish. 69.39 mt is deducted from the ACL to accommodate the Tribal fishery (50 mt), EFP catch (8 mt), and research catch (10.08 mt), and the incidental open access fishery (1.31 mt), resulting in a fishery HG of 1,237.6 mt. The combined nearshore/non-nearshore HG is 123.5 mt. Recreational HGs are: 42.2 mt (Washington); 63.5 mt (Oregon); and 113.9 mt (California).